

F300

Smart Payment Terminal



Android 10



4G + 3G + 2G Wi-Fi 5: 2.4GHz BT 4.2



4.0" HD LCM 2MP Camera



MSR + IC + NFC + QR





























































SPECIFICATIONS

Operating System	Android 10		
Processor	Quad-Core 4*A53@1.4GHz		
Memory	RAM: 1GB + ROM: 8GB		
Communications	4G (LTE-FDD/LTE-TDD) + 3G (WCDMA) + 2G (GSM), Wi-Fi 5: 2.4GHz, Bluetooth 4.2/BLE		
Location	GPS, GLONASS/BeiDou		
Display	4.0 inch, IPS LCD, 800*480Pixel, Multi-touch		
Camera	Rear: 2MP FF with Flash LED		
Battery	3.8V/2800mAh(Built-in battery)		
Magnetic Card Reader	ISO/IEC 7811, ISO/IEC 7813, Track 1/2/3, Bi-directional swiping		
IC Card Reader	ISO/IEC 7816, Conform to EMV L1/L2		
NFC	13.56MHz, ISO/IEC 14443, ISO18092, Type A&B, Felica, Mifare card		
Card Slot	SIM*1 + PSAM*1		
Peripheral Ports	Type C*1 (USB2.0, OTG)		
Adapter	Input: 100-240V AC, 50/60Hz 0.35A Output: 5V DC/2.0A		
Audio	1W		
Physical	135.5mm (L)*65mm (W)*16.5mm (H)		
Weight	174g		
Environment	Operating Temperature: -10°C ~ 50°C (14°F~122°F) Storage Temperature: -20°C ~ 60°C (-4°F~140°F) Relative Humidity: 5%-96% (Non-Condensing)		
Accessories	Adapter*1, USB Cable(only charging)*1, Manual*1		
Certifications	PCI, EMV L1&L2, EMV Contactless L1, Paypass, PayWave, JCB, Amex, Discover, Pure, qUICS, Rupay, AuspayNET, EFT POS, NSICCS, TQM, WPC, CE, FCC, ANRT, CB,CMC, RoHS, BIS, DGM, UN38.3, MSDS, NTRA-VOC, GSMA, Google Smart Tap, WEEE		
Optional Items	Memory Type C USB to RJ 45 Adapter Back Clip Barcode Scanner RAM: 2GB/ROM: 16GB 100 Mbps Ethernet LAN Dimensions: 166.5*68.60*35.2mm Card Slot Silicone Cover Image size: 640*480 Pixels 1D&2D SIM*2 Customized colors Back Clip Biometric Fingerprint USB Cable Screen Protector Dimensions: 177.6*68.7*40.0mm Type C (data/damping) Hydrogel film Image size: 256*360 Pixels		

F300 Options and Accessories



Back Clip Barcode Scanner

Dimensions	166.5*68.60*35.2mm
Image size	640*480 Pixels 1D&2D
Field of view	34°(H)*27°(V)
Motion tolerances	up to 25in(63.5cm) per second

