

M300

Android ECR/Cash Register



Android 11



2GB RAM + 16GB ROM



Rich Connectors



M300 Options



15.6"+15.6"

M300LA: 2G+16G
M300HA: 4G+64G



15.6"+10.1"

M300LB: 2G+16G
M300HB: 4G+64G



15.6"+F600
F600FP(Optional)

M300LP: 2G+16G
M300HP: 4G+64G



15.6"

M300L: 2G+16G
M300H: 4G+64G

M300 with PIN PAD T50



Retail



Supermarket



Restaurant



Hotel



Parking lot



Gas station

M300

SPECIFICATIONS

Operating System	Android 11
Processor	Quad-Core 4*A55@2.0GHz
Memory	RAM: 2GB + ROM: 16GB
Ethernet	LAN 100M
Bluetooth	BT4.2 (BR/EDR+BLE)
Wifi	2.4&5GHz, 802.11 b/g/n/ac
Display	15.6"(1920*1080)+15.6"(1920*1080) CTP/Multi-Point Touch Panel
Keys / Buttons	Power key
Audio	3W
Adapter	Input: 100-240V AC, 50/60Hz 2.0A Output: 24.0V DC/2.75A
Card Slot	TF Card*1
Peripheral Ports	Type A*5, RJ11*1, RJ12*1, DC*1, RJ45*1, 3.5mm Earphone port*1
Dimensions	382mm (L)*190 mm(W)*352mm (H)
Weight	6.795kg
Environment	Operating Temperature: -10°C ~ 50°C(14°F~122°F) Storage Temperature: -20°C ~ 70°C(-4°F~158°F) Relative Humidity: 5%-96% (Non-Condensing)
Accessories	Adapter*1, Manual*1
Certifications	CE, RoHS, WEEE, NTRA-VOC, ANRT

Optional Items	Memory RAM: 4GB /ROM: 64GB	Display 15.6"(1920*1080)+10.1" (1280*800)	Cash Box FT-405D/FTA-300
	Printer P10/P50/P60, BT/USB	15.6"(1920*1080)	Electronic Scale OS2GX0 USB/RS232
	QR Code Scanner F26/F68	15.6"(1920*1080)+F600	

M300 Accessories

P10



Printing Technology	Thermal printing
Paper Width	58mm*50mm
Print Speed	60-90 mm/s
Print Life	50KM
Interface	USB+ Bluetooth
Power Adapter	Type-C, DC 5V/1A
Lithium Battery	1800mAh/7.4V
Operating System	Android, IOS, Windows
Dimensions	112mm(L)*81mm(W)*56mm(H)
Certification	CE

P50



Printing Technology	Thermal printing
Paper Width	48mm~80mm±0.5mm
Print Speed	300 mm/s
Print Life	150KM
Interface	USB+RS232+RJ45+RJ11 USB+BT+RJ11(Optional) USB+WIFI+RJ11(Optional) USB+WIFI+BT+RJ11(Optional)
Cutters	Automatic Cutter
Power Adapter	DC 24V/2.5A
Operating System	Android, IOS, Windows
Dimensions	140mm(L)*178mm(W)*130mm(H)
Certification	CE

P60



Printing Technology	Thermal printing
Paper Width	58mm*60mm
Print Speed	80 mm/s
Print Life	150KM
Interface	RJ11*1, Type C*1, RJ45*1, Type A*1, Type B*1
Cutters	Automatic Cutter
Power Adapter	DC14V/3A
Operating System	Android, IOS, Windows
Dimensions	146mm(L)*125mm(W)*105mm(H)
Certification	CE

F26



Scan Modes	Trigger /Auto-sense/Continuous
Scanning Accuracy	±4mil/0.1mm (PCS90%, CODE39)
Size(L*W*H)	Scanner 165*60*84mm
Certification	CE, FCC, ROHS

F68



Scan Modes	Manual /Auto-sense
Scanning Accuracy	±5mil/0.127m (PCS90%, CODE39)
Size(L*W*H)	Scanner 150mm*70mm*95mm
Certification	CE, FCC, ROHS

FT-405D



Size(W*L*H)	405*420*110mm
Bill Width	84/87/85/85mm
Coin Width	80/84/84/81mm
Certification	CE, FCC, ROHS, EMC

FTA-300



Size(W*L*H)	300*360*80mm
Bill Width	81.8/81.8/84.2mm
Coin Width	71.6/56/56/56.8mm
Certification	CE, ROHS

Electronic Scale



Display	5*8 digits LCD display
Pan Size	344.9*262.4mm
Maximum Weighing	76/15kg, 15/30kg
Certification	CE