

T50

PIN Pad Terminal



2.4" TFT full color LCM
320*480 Pixels



MSR + IC + NFC + QR



Retail



Supermarket



Restaurant



Hotel



Parking lot



Gas station

Operating System	RTOS
Processor	32-bit RISC Core
Memory	RAM: 1MB + ROM: 4MB
Display	2.4 inch, 240*320, TFT Resistive touchscreen, support electronic signature
Camera	0.3M pixel front scanner, support 1D/2D code payment
Magnetic Card Reader	ISO/IEC 7811, ISO/IEC 7813, Track 1/2/3, Bi-directional swiping
IC Card Reader	ISO/IEC 7816, Conform to EMV L1/L2
NFC	13.56MHz, ISO/IEC 14443, Type A&B
Keys / Buttons	16 Keys: 0 ~ 9 Enter Clear Cancel Function Up Down
Audio	1W
Ports	USB
Card Slot	PSAM*2
Adapter	Input: 100-240V AC, 50/60Hz 0.35A Output: 5V DC/1.0A
Physical	151.4mm (L)*80.5mm (W)*56.1mm (H)
Weight	212g
Environment	Operating Temperature: -10°C ~ 50°C (14°F~122°F) Storage Temperature: -20°C ~ 70°C (-4°F~158°F) Relative Humidity: 5%-96% (Non-Condensing)
Certifications	PCI, EMV L1&L2, EMV Contactless L1, Paypass, PayWave, Amex, Discover, Pure, MIR, qUICS, TQM, CE, NTRA-VOC, ANRT, WEEE, DGM, UN38.3, MSDS

Optional Items

Ports
RS232

Screen Protector
Hydrogel film

POS Bracket
Desktop bracket

T50 Accessories



POS Bracket

Desktop bracket



Screen Protector

Hydrogel film